

## SAFETY DATA SHEET

# IduFoam System Capasal Alca Swan

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name

IduFoam System Capasal Alca Swan

Product no.

2553015, 2553020

Unique formula identifier (UFI)

91EX-6MD6-XHCP-0F6T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Foam cleaning in the food industry

Restricted to professional users.

# Use descriptors (UK REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 7	Industrial spraying
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

## Uses advised against

None known.

# 1.3. Details of the supplier of the safety data sheet

# Company and address

# Iduna A/S

Blokken 25

3460 Birkerød

Denmark

+45 4581 8066

www.iduna.dk

## Contact person

Mona Slothuus

E-mail

ms@iduna.dk

Revision

11/09/2025

**SDS Version** 

1.0

# 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:



England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

#### SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### 2.1. Classification of the substance or mixture

Skin Corr. 1A; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

#### 2.2. Label elements

## Hazard pictogram(s)



#### Signal word

Danger

## Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

# Precautionary statement(s)

#### General

Not applicable.

#### Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

# Storage

Not applicable.

#### Disposal

Dispose of contents/container in accordance with local regulation.

(P501)

## Hazardous substances

Potassium hydroxide

Sodium hydroxide

# Additional labelling

# UFI: 91EX-6MD6-XHCP-0F6T

# Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

< 5%

- · Amphoteric surfactants
- · Non-ionic surfactants

#### 2.3. Other hazards

## Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: Composition/information on ingredients



## 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Potassium hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3 UK-REACH: Index No.: 019-002-00-8	3-5%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Dam. 1, H318 Eye Irrit. 2, H319 (SCL: 0.50 %)	
1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts	CAS No.: 147170-44-3 EC No.: 604-575-4 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318 (SCL: 10.01 %) Eye Irrit. 2, H319 (SCL: 4.00 %) Aquatic Chronic 3, H412	
Sodium hydroxide	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	1-3%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Dam. 1, H318 Eye Irrit. 2, H319 (SCL: 0.50 %)	
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 UK-REACH: Index No.: 603-096-00-8	1-3%	Eye Irrit. 2, H319	[1], [3]
Silicic acid, sodiumsalt	CAS No.: 1344-09-8 EC No.: 215-687-4 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

- [1] European occupational exposure limit.
- [3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

# Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.



If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable.

# 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Not applicable.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO2)

Some metal oxides

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: None

## SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

# 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.



See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage conditions

> 0°C

# Incompatible materials

Strong acids

Strong oxidizing agents

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

Bases

Reducing agents

Metal

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Potassium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

glycero

Long term exposure limit (8 hours) (mg/m³): 10

Sodium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

2-(2-butoxyethoxy)ethanol

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m³): 67,5

Short term exposure limit (15 minutes) (ppm): 15

Short term exposure limit (15 minutes) (mg/m³): 101,2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs., hydroxides, inner salts

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	12,5 mg/kg
Long term – Systemic effects - Workers	Inhalation	44 mg/m3
2-(2-butoxyethoxy)ethanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	20 mg/kg uge/dag



Short term - Local effects - Workers Inhalation 10 ppm Short term - Local effects - Workers Inhalation 10 ppm glycerol  Duration: Route of exposure: DNEL: Long term - Local effects Rourkers Inhalation 56 mg/m3  Potassium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1,0 mg/m3  EC - 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acterives, hydroxides, inner salts  Route of exposure: Duration of Exposure: PNEC: Freshwater Continuous 0,0135 mg/l  Marine water Active terms of the properties of the pro			
Short term - Local effects - Workers Inhalation 10 pm  glycerol  Duration: Route of exposure: DNEL: Long term - Local effects Workers Inhalation 56 mg/m3  Potassium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1,0 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term - Local effects - Workers Inhalation 1,0 mg/m3  EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated act derivs., hydroxides, inner salts  Route of exposure: Duration of Exposure: PNEC: Freshwater sediment Inmg/kg ter vægt Marine water sediment 0,00135 mg/l Marine water sediment 0,00135 mg/l Marine water sediment 0,00135 mg/l Soil 2,(2-butoxyethoxy)ethanol Route of exposure: PNEC: Freshwater Freshwater 1 mg/k Marine water sediment 0,1 mg/kg  Sewage treatment plant 0,1 mg/l Marine water sediment 0,4 mg/l Marine water sediment 0,4 mg/l Marine water sediment 0,4 mg/l Soil 0,4 mg/l Route of exposure: PNEC: Freshwater sediment 0,0,885 mg/l Marine water 0,0,885 mg/l Marine water sediment 0,0,885 mg/l	Long term – Systemic effects - Workers	Inhalation	10 ppm
glycerol  Duration: Route of exposure: DNEL: Long term – Local effects Inhalation 56 mg/m3  Potassium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1,0 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1,0 mg/m3  EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated activity, hydroxides, inner salts  Route of exposure: Duration of Exposure: PNEC: Freshwater Route of exposure: Duration of Exposure: PNEC: Freshwater sediment Inmg/kg ter vægt Marine water sediment - 0,0 mg/kg  Sewage treatment plant - 0,1 mg/kg  2-(2-butoxyethoxy)ethanol  Route of exposure: Duration of Exposure: PNEC: Freshwater - 1 mg/l  Marine water sediment - 1 mg/l  Marine water sediment - 0,1 mg/l  Marine water sediment - 0,4 mg/l  Sewage treatment plant - 0,4 mg/l  Soil - 0,4 mg/l  Sewage treatment plant - 0,4 mg/l  Sewage treatment plant - 0,4 mg/l  Sewage treatment plant - 0,4 mg/l  Marine water sediment - 0,3 mg/l  Marine water sediment - 0,885 mg/l  Route of exposure: PNEC: Freshwater sediment - 0,885 mg/l  Marine water sediment - 0,0885 mg/l  Marine water sediment - 0,0885 mg/l  Marine water sediment - 0,0885 mg/l	Short term – Local effects - Workers	Inhalation	14 ppm
Duration:         Route of exposure:         DNEL:           Long term – Local effects         Inhalation         56 mg/m3           Potassium hydroxide         Potation:         Route of exposure:         DNEL:           Long term – Local effects - Workers         Inhalation         1 mg/m3           Sodium hydroxide         Route of exposure:         DNEL:           Long term – Local effects - Workers         Inhalation         1,0 mg/m3           EC         Long term – Local effects - Workers         Inhalation         1,0 mg/m3           EC         1-Propanaminium, 3-amino-N-(Carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated active interpretations. In many many many many many many many man	Short term – Local effects - Workers	Inhalation	10 ppm
Potassium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects – Workers Inhalation Inhalation Ing/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects – Workers Inhalation Info Info Info Info Info Info Info In	glycerol		
Potassium hydroxide  Duration: Route of exposure: Inhalation 1 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1,0 mg/m3  Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1,0 mg/m3  EC  Long term – Local effects - Workers Inhalation 1,0 mg/m3  EC  EC  The propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acterivs., hydroxides, inner salts  Route of exposure: PNEC: Freshwater Route of exposure: PNEC: Freshwater sediment Continuous 0,0135 mg/l  Marine water sediment Plant Continuous 0,0135 mg/l  Soil Continuous 0,0135 mg/l  Marine water sediment Plant Continuous 0,00135 mg/l  Marine water sediment Plant Continuous 0,0 mg/kg  Sewage treatment plant Continuous 0,0 mg/kg  Sewage treatment plant Continuous 0,0 mg/l  Soil Route of exposure: PNEC: Freshwater sediment Plant Continuous 0,0 mg/l  Marine water sediment Plant Continuous 0,0 mg/l  PNEC:  Marine water sediment Plant Continuous 0,0 mg/l  Marine water sediment Plant Continuous 0,0 mg/l  PNEC:  Marine water Sediment PNEC:  Marine water Sediment PNEC:  Marine water Sediment Ones Seposure: PNEC:  Marine water S	Duration:	Route of exposure:	DNEL:
Duration:         Route of exposure:         DNEL:           Long term - Local effects - Workers         Inhalation         1 mg/m3           Sodium hydroxide         Route of exposure:         DNEL:           Long term - Local effects - Workers         Inhalation         1,0 mg/m3           EC         1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated active of exposure:         PNEC:           Route of exposure:         Duration of Exposure:         PNEC:           Freshwater         Continuous         0,0135 mg/l           Marine water         0,00135 mg/l         1 mg/kg ter vægt           Marine water sediment         1 mg/kg ter vægt         0,8 mg/kg           Sewage treatment plant         3000 mg/l         0,8 mg/kg           2-(2-butoxyethoxy)ethanol         PNEC:         1 mg/l           Freshwater sediment         1 mg/l         4 mg/l           Marine water         0,1 mg/l         0,4 mg/l           Marine water sediment         1 mg/l         0,4 mg/l           Sewage treatment plant         20 mg/l         0,4 mg/l           Soil         0,4 mg/l         0,4 mg/l           Sewage treatment plant         20 mg/l         0,4 mg/l           Soil         0,0 mg/l         0,4	Long term – Local effects	Inhalation	56 mg/m3
Long term – Local effects - Workers  Sodium hydroxide  Duration: Long term – Local effects - Workers  EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acciderivs, hydroxides, inner salts  Route of exposure: PNEC: Freshwater Route of exposure: PNEC: Freshwater sediment Marine water sediment Marine water sediment  Soil 2-(2-butoxyethoxy)ethanol Route of exposure: PNEC: Preshwater sediment  Marine water Duration of Exposure:  0,00135 mg/l 0,1 mg/kg 0,00135 mg/l 0,1 mg/l 0,2 mg/kg 0,2 mg/l 0,2 mg/l 0,4 mg/l 0,6 mg/l 0,8 mg/l 0,8 mg/l 0,885 mg/l 0,835 mg/l 0,835 mg/l 0,835 mg/l 0,837 mg/l	Potassium hydroxide		
Sodium hydroxide  Duration: Route of exposure: DNEL: Long term – Local effects - Workers Inhalation 1,0 mg/m3  EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acciderivs., hydroxides, inner salts  Route of exposure: PNEC: Freshwater  Route of exposure: Duration of Exposure: PNEC: Freshwater sediment Img/kg tør vægt Marine water Marine water sediment 0,00135 mg/l Marine water sediment 1,0 mg/kg Sewage treatment plant 3000 mg/l Soil 0,8 mg/kg 2-(2-butoxyethoxy)ethanol Route of exposure: Duration of Exposure: PNEC: Freshwater Sediment 1 mg/l Marine water sediment 1 mg/l Marine water sediment 1 mg/l Marine water sediment 2 0,1 mg/l Marine water sediment 3 0,0 mg/l Soil 0,4 mg/l Marine water sediment 5 0,4 mg/l Marine water sediment 9 0,4 mg/l Sewage treatment plant 2 000 mg/l Soil 200 mg/l Soil 200 mg/l Soil 300 mg/l Sewage treatment plant 3 0,4 mg/l Marine water sediment 9 0,4 mg/l Sewage treatment plant 3 0,4 mg/l Soil 90 mg/l	Duration:	Route of exposure:	DNEL:
Duration:       Route of exposure:       DNEL:         Long term - Local effects - Workers       Inhalation       1,0 mg/m3         EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated accelerius, hydroxides, inner salts       PNEC:         Route of exposure:       PNEC:         Freshwater       Continuous       0,0135 mg/l         Freshwater sediment       Img/kg ter vægt         Marine water       0,00135 mg/l         Marine water sediment       1,1 mg/kg         Soil       0,1 mg/kg         2-(2-butoxyethoxy)ethanol       PNEC:         Route of exposure:       PNEC:         Freshwater sediment       1 mg/l         Marine water       1 mg/l         Marine water       0,1 mg/l         Marine water sediment       4 mg/l         Marine water sediment       0,4 mg/l         Soil       0,4 mg/l         Sewage treatment plant       0,0 mg/l         Soil       0,4 mg/l         Soil       0,4 mg/l         Soil       0,8 mg/l         Soil       0,8 mg/l         Soil       0,8 mg/l         Soil       0,0 mg/l         Soil       0,8 mg/l         Soil <td>Long term – Local effects - Workers</td> <td>Inhalation</td> <td>1 mg/m3</td>	Long term – Local effects - Workers	Inhalation	1 mg/m3
Long term – Local effects - Workers Inhalation 1,0 mg/m3  EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acteriss, hydroxides, inner salts  Route of exposure: Duration of Exposure: PNEC:  Freshwater	Sodium hydroxide		
EC 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acceries, hydroxides, inner salts  Route of exposure: Route of exposure: Continuous  0,0135 mg/l Freshwater sediment  Marine water Marine water sediment  0,00135 mg/l Marine water sediment  0,1 mg/kg  2-(2-butoxyethoxy)ethanol  Route of exposure: PNEC: Preshwater  1 mg/l  Amy/l  Marine water  Duration of Exposure: PNEC: 1 mg/l  4 mg/l  Marine water sediment  0,1 mg/l  Marine water sediment  0,4 mg/l  Sewage treatment plant  Sewage treatment plant  Sewage treatment  Marine water  Duration of Exposure: 0,1 mg/l  Marine water sediment  0,4 mg/l  Sewage treatment plant	Duration:	Route of exposure:	DNEL:
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated accerivs, hydroxides, inner salts  Route of exposure: Duration of Exposure: PNEC: Freshwater Continuous 0,0135 mg/l Freshwater sediment 1 mg/kg tør vægt 0,00135 mg/l Marine water sediment 0,1 mg/kg 000 mg/l Sewage treatment plant 3000 mg/l Soil 0,8 mg/kg  2-(2-butoxyethoxy)ethanol Route of exposure: Duration of Exposure: PNEC: Freshwater sediment 4 mg/l Marine water sediment 4 mg/l Marine water sediment 5,1 mg/l Sewage treatment plant 5 mg/l Soil 0,4 mg/l Sewage treatment plant 5 mg/l Marine water sediment 4 mg/l Marine water sediment 5 0,4 mg/l Sewage treatment plant 5 0,4 mg/l Freshwater 5 0,885 mg/l Route of exposure: Nurein of Exposure: PNEC: Freshwater 6 0,885 mg/l Marine water 6 0,0885 mg/l Marine water 8 0,0885 mg/l Marine water sediment 5 0,0885 mg/l Marine water sediment 5 0,0885 mg/l	Long term – Local effects - Workers	Inhalation	1,0 mg/m3
Freshwater         Continuous         0,0135 mg/l           Freshwater sediment         1mg/kg tør vægt           Marine water         0,00135 mg/l           Marine water sediment         0,1 mg/kg           Sewage treatment plant         3000 mg/l           Soil         0,8 mg/kg           2-(2-butoxyethoxy)ethoxy)ethanol         PNEC:           Route of exposure:         PNEC:           Freshwater         1 mg/l           Freshwater sediment         4 mg/l           Marine water sediment         0,4 mg/l           Sewage treatment plant         200 mg/l           Soil         0,4 mg/l           glycerol         PNEC:           Route of exposure:         PNEC:           Freshwater         0,885 mg/l           Freshwater sediment         3,3 mg/kg           Marine water         0,0885 mg/l           Marine water sediment         0,0885 mg/l	derivs., hydroxides, inner salts	N-dimethyl-, N-(C8-18(even number	ed) and C18 unsaturated acy
Freshwater sediment         1mg/kg tør vægt           Marine water         0,00135 mg/l           Marine water sediment         0,1 mg/kg           Sewage treatment plant         3000 mg/l           Soil         0,8 mg/kg           2-(2-butoxyethoxy)ethanol         PNEC:           Route of exposure:         PNEC:           Freshwater         1 mg/l           Freshwater sediment         4 mg/l           Marine water sediment         0,1 mg/l           Soil         0,4 mg/l           Sewage treatment plant         200 mg/l           Soil         0,4 mg/l           glycerol         PNEC:           Freshwater         0,885 mg/l           Freshwater sediment         3,3 mg/kg           Marine water         0,0885 mg/l           Marine water sediment         0,0885 mg/l	Route of exposure:	Duration of Exposure:	PNEC:
Marine water       0,00135 mg/l         Marine water sediment       0,1 mg/kg         Sewage treatment plant       3000 mg/l         Soil       0,8 mg/kg         2-(2-butoxyethoxy)ethanol       Route of exposure:       PNEC:         Freshwater       1 mg/l         Freshwater sediment       4 mg/l         Marine water       0,1 mg/l         Sewage treatment plant       0,4 mg/l         Soil       0,4 mg/l         Soil       0,4 mg/l         Soil       0,4 mg/l         Freshwater       0,885 mg/l         Freshwater sediment       0,885 mg/l         Marine water       0,0885 mg/l         Marine water       0,0885 mg/l         Marine water sediment       0,0885 mg/l	Freshwater	Continuous	0,0135 mg/l
Marine water sediment       0,1 mg/kg         Sewage treatment plant       3000 mg/l         Soil       0,8 mg/kg         2-(2-butoxyethoxy)ethanol       V         Route of exposure:       PNEC:         Freshwater       1 mg/l         Freshwater sediment       4 mg/l         Marine water       0,1 mg/l         Marine water sediment       0,4 mg/l         Sewage treatment plant       200 mg/l         Soil       0,4 mg/l         glycerol       PNEC:         Freshwater       0,885 mg/l         Freshwater sediment       0,885 mg/l         Freshwater sediment       0,0885 mg/l         Marine water       0,0885 mg/l         Marine water sediment       0,033 mg/l	Freshwater sediment		1mg/kg tør vægt
Sewage treatment plant Soil 3000 mg/l Soil 0,8 mg/kg 2-(2-butoxyethoxy)ethanol  Route of exposure: PNEC: Freshwater Freshwater sediment 4 mg/l Marine water sediment 0,1 mg/l Marine water sediment 0,4 mg/l Sewage treatment plant 200 mg/l Soil 0,4 mg/l Soil 200 mg/l Soil 0,4 mg/l Freshwater sediment 0,4 mg/l Freshwater sediment 0,4 mg/l Soil 0,4 mg/l Soil 0,4 mg/l Soil 0,4 mg/l Soil 0,4 mg/l Marine water sediment 0,0 mg/l Soil 0,4 mg/l Marine of exposure: PNEC: Freshwater sediment 0,0885 mg/l Freshwater sediment 0,0885 mg/l Marine water sediment 0,0885 mg/l Marine water sediment 0,0885 mg/l	Marine water		0,00135 mg/l
Soil         0,8 mg/kg           2-(2-butoxyethoxy)ethanol         PNEC:           Route of exposure:         PNEC:           Freshwater         1 mg/l           Freshwater sediment         4 mg/l           Marine water         0,1 mg/l           Marine water sediment         0,4 mg/l           Sewage treatment plant         200 mg/l           Soil         0,4 mg/l           glycerol         PNEC:           Route of exposure:         Duration of Exposure:         PNEC:           Freshwater         0,885 mg/l           Freshwater sediment         3,3 mg/kg           Marine water         0,0885 mg/l           Marine water sediment         0,33 mg/l	Marine water sediment		0,1 mg/kg
2-(2-butoxyethoxy)ethanol  Route of exposure:  Freshwater  Freshwater sediment  Marine water sediment  Marine water sediment  Sewage treatment plant  Soil  glycerol  Route of exposure:  Duration of Exposure:  pNEC:  1 mg/l  4 mg/l  4 mg/l  4 mg/l  5 ewage treatment plant  5 o,4 mg/l  5 ewage treatment plant  Soil  Duration of Exposure:  Freshwater  0,885 mg/l  3,3 mg/kg  Marine water  Marine water sediment  Marine water sediment  Marine water sediment  0,0885 mg/l  Marine water sediment  0,033 mg/l	Sewage treatment plant		3000 mg/l
Route of exposure:  Freshwater Freshwater Freshwater sediment Freshwater sediment Marine water Marine water sediment  Marine water sediment  Sewage treatment plant Soil  Soil	Soil		0,8 mg/kg
Freshwater         1 mg/l           Freshwater sediment         4 mg/l           Marine water         0,1 mg/l           Marine water sediment         0,4 mg/l           Sewage treatment plant         200 mg/l           Soil         0,4 mg/l           glycerol         PNEC:           Freshwater         0,885 mg/l           Freshwater sediment         3,3 mg/kg           Marine water         0,0885 mg/l           Marine water sediment         0,0885 mg/l	2-(2-butoxyethoxy)ethanol		
Freshwater sediment 4 mg/l  Marine water 0,1 mg/l  Marine water sediment 0,4 mg/l  Sewage treatment plant 200 mg/l  Soil 200 mg/l  Soil 0,4 mg/l  Route of exposure: Duration of Exposure: PNEC:  Freshwater Sediment 3,3 mg/kg  Marine water sediment 0,0885 mg/l  Marine water sediment 0,0885 mg/l  Marine water sediment 0,0885 mg/l  Marine water sediment 0,033 mg/l	Route of exposure:	Duration of Exposure:	PNEC:
Marine water  Marine water sediment  Marine water sediment  Sewage treatment plant  Soil  Soil  Route of exposure:  Freshwater  Freshwater sediment  Marine water sediment  O,1 mg/l  200 mg/l  200 mg/l  Namy/l  Namy/l  0,885 mg/l  3,3 mg/kg  0,0885 mg/l  0,0885 mg/l  0,0885 mg/l  0,033 mg/l	Freshwater		1 mg/l
Marine water sediment 0,4 mg/l Sewage treatment plant 200 mg/l Soil 0,4 mg/l  glycerol  Route of exposure: Duration of Exposure: PNEC: Freshwater Freshwater sediment 3,3 mg/kg Marine water Sediment 0,0885 mg/l Marine water sediment 0,33 mg/l	Freshwater sediment		4 mg/l
Sewage treatment plant Soil Soil glycerol  Route of exposure: Freshwater Freshwater sediment Marine water sediment  Duration of Exposure:  Duration of Exposure:  PNEC: 0,885 mg/l 3,3 mg/kg 0,0885 mg/l 0,0885 mg/l 0,033 mg/l	Marine water		0,1 mg/l
Soil         0,4 mg/l           glycerol         Route of exposure:         PNEC:           Freshwater         0,885 mg/l           Freshwater sediment         3,3 mg/kg           Marine water         0,0885 mg/l           Marine water sediment         0,33 mg/l	Marine water sediment		0,4 mg/l
glycerol  Route of exposure:  Freshwater  Freshwater sediment  Marine water sediment  Marine water sediment  Duration of Exposure:  0,885 mg/l  3,3 mg/kg  0,0885 mg/l  0,33 mg/l	Sewage treatment plant		200 mg/l
Route of exposure:Duration of Exposure:PNEC:Freshwater0,885 mg/lFreshwater sediment3,3 mg/kgMarine water0,0885 mg/lMarine water sediment0,33 mg/l	Soil		0,4 mg/l
Freshwater 9,885 mg/l Freshwater sediment 3,3 mg/kg Marine water 9,0885 mg/l Marine water sediment 0,0885 mg/l 0,33 mg/l	glycerol		
Freshwater sediment 3,3 mg/kg Marine water 0,0885 mg/l Marine water sediment 0,33 mg/l	Route of exposure:	Duration of Exposure:	PNEC:
Marine water 0,0885 mg/l Marine water sediment 0,33 mg/l	Freshwater		0,885 mg/l
Marine water sediment 0,33 mg/l	Freshwater sediment		3,3 mg/kg
<del>-</del>	Marine water		0,0885 mg/l
Sewage treatment plant 1000 mg/l	Marine water sediment		0,33 mg/l
	Sewage treatment plant		1000 mg/l

# 8.2. Exposure controls

Soil

Water

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

Continuous

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

0,141 mg/kg/dw

8,85 mg/l



#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

# Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

# Respiratory Equipment

Туре	Class	Colour	Standards	
No special whe	en used			
as intended.				

## Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,11-0,14	-	EN374-2	



) ·   · · · · · · ·		
Туре	Standards	
Safety glasses with side shields.	EN166	

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour / Odour threshold

Characteristic

рΗ

13,7 +/-1



pH in solution

12,3 (2%)

Density (q/cm<sup>3</sup>)

1.14 (20 °C)

Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

# Phase changes

Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

No data available.

Vapour pressure

No data available.

Relative vapour density

No data available.

Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

Flash point (°C)

No data available.

Flammability (°C)

No data available.

Auto-ignition temperature (°C)

No data available.

Lower and upper explosion limit (% v/v)

No data available.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

No data available.

Solubility in fat (q/L)

No data available.

9.2. Other information

Oxidizing properties

No data available.

Other physical and chemical parameters

No data available.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials



Strong acids

Strong oxidizing agents

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

Bases

Reducing agents

Metal

## 10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Product/substance Potassium hydroxide

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 333 mg/kg ·

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Rat Route of exposure: Oral Test: LD50

Result: >8100 mg/kg ·

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Route of exposure: Oral
Test: NOAEL
Result: 100 mg/kg ·

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Rat
Route of exposure: Dermal
Test: LD50
Result: 2000 mg/kg ·

Product/substance glycerol Species: Rat Route of exposure: Oral Test: LD50

Result: 18300 mg/kg bw

Product/substance glycerol
Species: Guinea pig
Route of exposure: Dermal
Result: 45 mg/L

Product/substance 2-(2-butoxyethoxy)ethanol

Species: Rat
Route of exposure: Oral
Test: LD50

Result: >2000 mg/kg ·



Based on available data for the mixture, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

# Serious eye damage/irritation

Causes serious eye damage.

## Respiratory sensitisation

Based on available data for the mixture, the classification criteria are not met.

#### Skin sensitisation

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Test method: OECD 406 Species: Guinea pig

Description: No skin sensitising effects observed Result: No adverse effect observed (not sensitising)

Based on available data for the mixture, the classification criteria are not met.

# Germ cell mutagenicity

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Description: Negative

Conclusion: No adverse effect observed

Based on available data for the mixture, the classification criteria are not met.

## Carcinogenicity

Based on available data for the mixture, the classification criteria are not met.

# Reproductive toxicity

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Test: OECD 414 Result: 100 mg/kg

Based on available data for the mixture, the classification criteria are not met.

# STOT-single exposure

Based on available data for the mixture, the classification criteria are not met.

# STOT-repeated exposure

Based on available data for the mixture, the classification criteria are not met.

#### Aspiration hazard

Based on available data for the mixture, the classification criteria are not met.

# 11.2. Information on other hazards

# Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

# Other information

None known.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Product/substance Potassium hydroxide

Species: Fish
Duration: 96 hours
Test: LC50



Result: 80 mg/l ·

Product/substance Potassium hydroxide

Species: Fish
Duration: 24 hours
Test: LC50
Result: 165 mg/l·

#### Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Fish
Duration: 96 hours
Test: LC50
Result: 25 mg/l·

#### Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Crustacean
Duration: 48 hours
Test: EC50
Result: 45mg/l·

#### Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Daphnia

Duration: No data available.

Test: NOEC Result: <1 mg/l·

#### Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

Species: Fish

Duration: No data available.

Test: NOEC Result:  $<1 \text{ mg/l} \cdot$ 

Product/substance glycerol Species: Daphnia

Duration: No data available.

Test: LC50

Result: >10.000 mg/l ·

Product/substance glycerol Species: Fish

Duration: No data available.

Test: LC50

Result:  $>10.000 \text{ mg/l} \cdot$ 

Product/substance Sodium hydroxide

Species: Fish
Duration: 96 hours
Test: LC50
Result: 38-189 mg/l·

Product/substance Sodium hydroxide

Species: Daphnia



Duration: 48 hours Test: EC50 Result:  $40,4 \text{ mg/l} \cdot$ 

Product/substance 2-(2-butoxyethoxy)ethanol

Species: Fish

Duration: No data available.

Test: LC50 Result: >100 mg/l·

Product/substance 2-(2-butoxyethoxy)ethanol

Species: Algae

Duration: No data available.

Test: EC50 Result:  $>100 \text{ mg/l} \cdot$ 

Product/substance Silicic acid, sodiumsalt

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 4857 mg/l⋅

Based on available data for the mixture, the classification criteria are not met.

## 12.2. Persistence and degradability

Product/substance 2-(2-butoxyethoxy)ethanol

Result: 76%

Conclusion: Readily biodegradable

Test: OECD 301 D

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## 12.3. Bioaccumulative potential

Product/substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18 unsaturated acyl) derivs.,

hydroxides, inner salts

LogKow: 4.2310 Conclusion: -

Product/substance glycerol LogKow: -1.7600

Conclusion: No potential for bioaccumulation

Product/substance 2-(2-butoxyethoxy)ethanol

LogKow: 0.5600

Conclusion: No potential for bioaccumulation

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

## 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**



## Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 15\* Alkalines

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR	1719	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium- and Potassium Hydroxide) (Potassium hydroxide , Sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E) See below for additional information .
IMDG	1719	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium- and Potassium Hydroxide) (Potassium hydroxide , Sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information
IATA	1719	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium- and Potassium Hydroxide) (Potassium hydroxide , Sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	See below for additional information

<sup>\*</sup> Packing group

# Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport. Hazchem Code: None

# 14.6. Special precautions for user

Not applicable.

<sup>\*\*</sup> Environmental hazards



# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### Demands for specific education

No specific requirements.

# Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

Not applicable.

## UK-REACH, Annex XVII

2-(2-butoxyethoxy)ethanol is subject to restrictions, UK-REACH annex XVII (entry 55).

# Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

< 5%

- · Amphoteric surfactants
- · Non-ionic surfactants

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

# **SECTION 16: Other information**

# Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

# The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 7 = Industrial spraying

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# The safety data sheet is validated by

ms

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en