Colour: White



## **Benefit**

- QuickDry: dries hands quickly and thoroughly
- •High capacity: less maintenance
- •One towel at a time: reduced consumption and increased hygiene
- Decor embossing with Leaf pattern: designed to make a great impression
- •Tork Easy handling features: Easy to open, easy to flatten and easy to carry away



100 m





# **Product properties**

Article	System	Roll Length	Roll Width	Roll Diameter	Core Inner Diameter	Ply	Print	Embossing	Colour
290016	H1 - Hand towel roll system	100 m	21 cm	19 cm	3.8 cm	2	No	Yes	White

### **Description**

The Tork Matic® system for hand towel rolls (H1) has a high capacity that is ideal for busy washrooms found in places like schools and airports.



# Shipping data

## Consumer unit

EAN	7310791256115
Pieces	1
Material	Banderole
Height	210 mm
Width	190 mm
Length	190 mm
Volume	7.6 dm3
Net weight	861 g
Gross weight	877 g

## Transport unit

EAN	7310791256108		
Pieces	6		
Consumer units	6		
Material	Carton		
Height	247 mm		
Width	388 mm		
Length	588 mm		
Volume	56.4 dm3		
Net weight	5.2 kg		
Gross weight	5.8 kg		



## **Environmental**

#### Content

Virgin pulp

Chemicals

#### Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

#### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids



Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

#### **Food Contact**

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Environmental label = EU Ecolabel

This product is not approved for the EU Ecolabel.

This product is certified according to FSC.

Date of issue 2013-06-26

Revision date 2014-05-23

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

#### **Production**

Material produced and converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

#### **Destruction**

This product is mainly used for personal hygiene and can be collected together with household waste.

