

Plum Hånddesinfektion 85% - Gel

#### Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: Pl	um Hånddesinfektion 85% - Gel
----------------	-------------------------------

Group name: Disinfection products

#### Unique Formula Identifier (UFI): 84XA-N0NA-200N-QHRA

#### Article no

Article no	Description
3913	5 L
3949	500 ml
3951	600 ml
3951X	600 ml
3952	75 ml
3955	1L
3957	1 L
3959	120 ml
39590	120 ml
3962	150 ml

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:	Disinfectants PT 1 Human hygiene. Biocide. Use biocides safely. Always read the label and product information before use. The product is used for the disinfection of skin / hands.
Inadvisable uses:	The product is not suitable for surface disinfection.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer	
Company:	KiiltoClean A/S
Address:	Frederik Plums Vej 2
Zip code:	5610
City:	Assens
Country:	DENMARK
E-mail:	info.dk@kiilto.com
Phone:	+45 64712112
Fax:	+45 64712125
Homepage:	www.kiilto.dk

#### **1.4. Emergency Telephone Number**

Members of the public: 111 (NHS 111 (Scotland: NHS 24)). The emergency telephone is open 24 hours.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** 

Flam. Liq. 2;H225 Eye Irrit. 2;H319

Most serious harmful effects: Highly flammable liquid and vapour. Causes serious eye irritation.



Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

# 2.2. Label elements

**Pictograms** 



Signal word:	Danger
Hazard Statements	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
Precautionary statements	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container as hazardous waste. Rinsed container can be sorted as plastic.

#### Supplemental information

Active substances: 765 g/kg ethanol (CAS no. 64-17-5) and 49 g/kg propan-2-ol (CAS no. 67-63-0). Type of formulation: Gel Use: Hand disinfection.

# Dosage: Rub an appropriate amount into the hands so that they are moist for 30 sec.

# 2.3. Other hazards

The product does not contain any PBT or vPvB substances.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	65 - 85 %	13, 15	Flam. Liq. 2;H225 Eye Irrit. 2;H319 C ≥ 50%: Eye Irrit. 2;H319
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	1 - 10 %	13	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336
Glycerin/Glycerol	56-81-5	1 - 5 %		
Polyacrylic Acid	9003-01-4	< 1 %		Eye Irrit. 2;H319 Aquatic Chronic 3;H412
2-amino-2- methylpropanol	124-68-5 204-709-8	< 0.1 %		Skin Irrit. 2;H315 Eye Irrit. 2;H319 Aquatic Chronic 3;H412

Please see section 16 for the full text of H- / EUH-phrases.

13 = The substance has a national exposure limit.

15 = REACH-registered with a different classification than in Regulation 1272/2008 Appendix VI.

## **SECTION 4: First aid measures**



## Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

### 4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of discomfort.
Skin contact:	The product is intended to come into contact with the skin. In case of wound smarts, flush with water.
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.
Burns:	Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.
General:	When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Direct contact: Irritating to eyes. Causes a burning sensation and tearing. The product releases organic solvent vapours which may cause lethargy and dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Stop leak if this can be done without risk. Provide adequate ventilation. Smoking and naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Wear safety goggles if there is a risk of eye splash.
For emergency responders:	In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

# 6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

#### 6.3. Methods and material for containment and cleaning up



# Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Provide good ventilation. Rinse with water.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Smoking and naked flames prohibited. Wash hands before breaks, before using restroom facilities, and at the end of work. Running water and eye wash equipment must be available. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store safely and keep out of reach of children. Keep in tightly closed original packaging. Storage temperature: 0-30 °C.

### 7.3. Specific end use(s)

None.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limit**

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
ethanol	8h	1000	1920			
glycerol	8h		10		mist	
glycerol	15m				mist	
propan-2-ol	15m	500	1250			
propan-2-ol	8h	400	999			

Measuring methods:

Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis:

EH40/2005 Workplace exposure limits. Last amended January 2020.

#### **PNEC**

Ethanol, cas-no 64-17-5				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (intermittent releases)	2,75 mg/l			
PNEC aqua (marine water)	0,79 mg/l			
PNEC aqua (intermittent releases)	2,75 mg/l			
PNEC sediment (freshwater)	3,6 mg/kg			
PNEC sediment (marine water)	2,9 mg/kg			
PNEC STP (wastewater- treatment facilities)	580 mg/l			
PNEC soil	0,63 mg/kg			
PNEC aqua (freshwater)	0,96 mg/l			
Copyright © 1995 - 2022 DG	Office B.V., Made with CHES	SS in www.DGDoc.net	•	4 / 12



# Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

propan-2-ol, cas-no 67-63-0				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	140,9 mg/l			
PNEC aqua (marine water)	140,9 mg/l			
PNEC aqua (intermittent releases)				
PNEC STP (wastewater- treatment facilities)	2251 mg/l			
PNEC soil	552 mg/kg dw			
PNEC soil	28 mg/kg			

### **DNEL** - workers

Ethanol, cas-no 64-17-5 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Inhalation DNEL (acute/short-term 1900 mg/m<sup>3</sup> exposure - local effects) Dermal DNEL (longterm exposure -343 mg/kg bw/day systemic effects) Inhalation DNEL (long-term exposure 950 mg/m<sup>3</sup> - systemic effects) propan-2-ol, cas-no 67-63-0 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -888 mg/kg bw/day systemic effects) Inhalation DNEL (long-term exposure 500 mg/m<sup>3</sup> - systemic effects)

# **DNEL** - general population

Ethanol, cas-no 64-1	7-5				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	206 mg/kg bw/day				
Oral DNEL (long- term exposure - systemic effects)	87 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	114 mg/m³				
Inhalation DNEL (acute/short-term exposure - local effects)	950 mg/m³				
propan-2-ol, cas-no 6	67-63-0	· · · · · ·			
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note



# Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

			VEISIUII. 4.0.1
Dermal DNEL (long- term exposure - systemic effects)	319 mg/kg bw/day		
Oral DNEL (long- term exposure - systemic effects)	26 mg/kg bw/day		
Inhalation DNEL (long-term exposure - systemic effects)	89 mg/m³		

### 8.2. Exposure controls

Personal protective equipment, eye/face protection:Not required. Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.Personal protective equipment, skin protection:Not required. Sthe product is intended to come into contact with the skin. With long-term work or when cleaning up after large spills of the product, the use of e.g. nitril rubber gloves is recommended. The gloves should be change after use.Personal protective equipment, respiratory protection:Not required. Sthe gloves should be change after use.Personal protective equipment, respiratory protection:Not required. Ensure compliance with local regulations for emissions.	Appropriate engineering controls:	Wear the personal protective equipment specified below.
skin protection:The product is intended to come into contact with the skin. With long-term work or when cleaning up after large spills of the product, the use of e.g. nitril rubber gloves is recommended. The gloves should be change after use.Personal protective equipment, respiratory protection:Not required.Environmental exposureEnsure compliance with local regulations for emissions.		Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN
hand protection:cleaning up after large spills of the product, the use of e.g. nitril rubber gloves is recommended. The gloves should be change after use.Personal protective equipment, respiratory protection:Not required.Environmental exposureEnsure compliance with local regulations for emissions.	• • • • •	Not required.
respiratory protection: Ensure compliance with local regulations for emissions.   Ensure compliance with local regulations for emissions.	• • • • •	cleaning up after large spills of the product, the use of e.g. nitril rubber gloves is
		Not required.
	•	Ensure compliance with local regulations for emissions.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Parameter		Value/unit			
State	Gel				
Colour	Clear				
Odour	Alcohol	Alcohol			
Solubility	Soluble in the following: Water.				
Parameter	Value/unit	Remarks			
Odour threshold	No data				
Melting point	No data				

Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	78 °C	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	~ 19 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	6 - 8	
Kinematic viscosity	No data	
Viscosity	3000 - 5500 cps	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	0.8 - 0.875 g/ml	



# Plum Hånddesinfektion 85% - Gel

#### Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Vapours may form explosive mixtures with air.
Oxidising properties		N/A

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with the following: Strong oxidisers. Explosive mixtures may form with air when heated/exposed to fire.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

#### 10.5. Incompatible materials

Strong oxidisers.

#### **10.6. Hazardous decomposition products**

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD TG 401	Supplier
propan-2-ol, ca	is-no 67-63-0					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			Supplier

Ingestion may cause discomfort. Ingestion may cause similar symptoms to those resulting from inhalation. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg		OECD TG 402	Supplier
propan-2-ol, ca	is-no 67-63-0					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source

Copyright © 1995 - 2022 DGOffice B.V., Made with CHESS in www.DGDoc.net



Plum Hånddesinfektion 85% - G	Plum	Håndd	esinfektio	n 85%	- Ge
-------------------------------	------	-------	------------	-------	------

#### Replaces date: 29/07/2022

Replaces date: 29/07/2022				Revis	sion date: 18/10/2022	2
					Version: 4.0.1	l
Rabbit	LD50		> 2000 mg/kg		Supplier	J

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# Acute toxicity - inhalation

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source	
Mouse		4 h	> 20 mg/l			Supplier	
propan-2-ol, cas-no 67-63-0							
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source	
Rat	LC50	8 h	> 20 mg/l			Supplier	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# Skin corrosion/irritation

# Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	Irritation				OECD TG 404	Supplier
propan-2-ol, ca	is-no 67-63-0					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# Serious eye damage/eye irritation

### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Moderate eye irritation	OECD TG 405	Supplier

#### propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating		Supplier

Irritating to eyes. Causes a burning sensation and tearing.

#### Respiratory sensitisation or skin sensitisation

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig				Not sensitizing	OECD TG 406	Supplier
propan-2-ol, c	as-no 67-63-0					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig	Buehler-Test			Not sensitizing		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
-------------------------	--

Carcinogenic properties:	The product does not have to be classified. Test data are not available	<b>.</b>
--------------------------	---	----------

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

- Single STOT exposure: The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication. The product does not have to be classified. Test data are not available.
- **Repeated STOT exposure:** The product does not have to be classified. Test data are not available.



### Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

Aspiration hazard:	The product does not have to be classified. Test data cannot be obtained for technical reasons.
11.2. Information on other h	azards

Endocrine disrupting	None known
properties:	

Other toxicological effects: None known.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Ethanol, cas-no 64-17-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h		> 100 mg/l			Supplier
Algea or other acquatic plants				5000 mg/l			Supplier
Crustacea	Daphnia magna	24 h		> 100 mg/l			Supplier
Bacteria	Pseudomonas putida	16 h		6500 mg/l			Supplier

#### propan-2-ol, cas-no 67-63-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h	LC50	> 100 mg/l			Supplier
Crustacea	Daphnia magna	48 h	EC50	> 100 mg/l			Supplier
Algea or other acquatic plants	Scenedesmus subspicatus	72 h		> 100 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### 12.2. Persistence and degradability

Expected to be biodegradable. Test data are not available.

#### 12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

#### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

# **SECTION 13: Disposal considerations**

Copyright © 1995 - 2022 DGOffice B.V., Made with CHESS in www.DGDoc.net



# Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

#### 13.1. Waste treatment methods

Avoid unnecessary release to the environment. Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: 16 03 05\* organic wastes containing hazardous substances

# **SECTION 14: Transport information**

Land transport (ADR/RID)			
14.1. UN number or ID number:	1987	14.4. Packing group:	II
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Hazard identification number:	33	Tunnel restriction code:	D/E
Inland water ways transport	(ADN)		
14.1. UN number or ID number:	1987	14.4. Packing group:	II
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Transport in tank vessels:	Not applicable.		
Sea transport (IMDG)			
14.1. UN number or ID number:	1987	14.4. Packing group:	II
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	The product is not a Marine Pollutant (MP).
14.3. Transport hazard class(es):	3	Environmental Hazardous Substance Name(s):	
Hazard label(s):	3		
EmS:	F-E, S-D	IMDG Code segregation group:	- None -
Air transport (ICAO-TI / IATA	-DGR)		
14.1. UN number or ID number:		14.4. Packing group:	II
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	
14.3. Transport hazard class(es):	3		
14.3. Transport hazard			

None.



Plum Hånddesinfektion 85% - Gel

Replaces date: 29/07/2022

Revision date: 18/10/2022 Version: 4.0.1

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information:

May be transported in limited quantities if placed in outer packaging according to ADR 3.4, when max. 1 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass/tray. May be transported in limited quantities if placed in outer packaging according to IMDG 3.4, when max. 1 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions:	Covered by: COMMISSION REGULATION (EU) 2020/878 (SDS). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). Regulation (EU) of the European Parliament and of the Council concerning the making available on the market and use of biocidal products. Directive 2012/18/EU (Seveso), P5c FLAMMABLE LIQUIDS: Column 2: 5000 t, Column 3: 50000 t.
45.0. Ohomiaal Safatu Aaaa	European Agreement concerning the International Carriage of Dangerous Goods by Road. EH40/2005 Workplace exposure limits, with later amendments. Council Directive (EC) on the protection of young people at work. Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

#### 15.2. Chemical Safety Assessment

Other Information:

Chemical safety assessment has not been performed.

#### **SECTION 16: Other information**

#### Version history and indication of changes

2	0		
Version	Revision date	Responsible	Changes
4.0.1	18/10/2022	KiiltoClean A/S (SKP)	3.2, 16
4.0.0	29/07/2022	KiiltoClean A/S (SKP)	3.2, 9, 11, 12, 15, 16 (2020- 878-format)
3.0.0	19/11/2020	KiiltoClean A/S (SKP)	1.1, 2.2, 8, 16
2.3.0	30/01/2020	KiiltoClean A/S (SKP)	1.1, 1.2, 1.3, 2.1, 2.2, 8, 11.1, 16
2.2.0	13/06/2018	Plum A/S (SKP)	New date and editorial changes
2.1.0	11/11/2015	Plum A/S (SKP)	2015/830 + Section 3 (UK)
2.0.0	26/02/2015	Plum A/S (SKP)	453/2010 + 1272/2008
Abbreviations:	DNEL: Derived No Effect PNEC: Predicted No Effe STOT: Specific Target Or	ct Concentration	

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

**References to literature and** ECHA reg. sub.: ECHA database for information on registered substances. data sources:



Safety Data Sheet Plum Hånddesinfektion 85% - Gel			
Other Information:	Shelf life: 30 months. Additional information can be obtained by contacting info.dk@kiilto.com or by telephone +45 6471 2112.		
Training advice:	A thorough knowledge of this safety data sheet should be a prerequisite condition.		
Date:	18/10/2022		
Classification method:	Calculation based on the hazards of the known components. Test data.		
List of relevant H-statements			
H225	Highly flammable liquid and vapour.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H412	Harmful to aquatic life with long lasting effects.		
SDS is prepared by			
Company:	KiiltoClean A/S		
Address:	Frederik Plums Vej 2		
Zip code:	5610		
City:	Assens		
Country:	DENMARK		
E-mail:	info.dk@kiilto.com		
Phone:	+45 64712112		
Fax:	+45 64712125		
Homepage:	www.kiilto.dk		
Country:	GB		